

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3203	"service provider" with address	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L2	0	("service provider" with address) with "map or table or chart or lookup"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L3	4	((("service provider" with address) with (map or table or chart or lookup or list)) with manager	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L4	6	((("service provider" with address) with (map or table or chart or lookup or list)) same manager	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L5	302	("service provider" with address) with (map or table or chart or lookup or list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L6	0	"service adj address" with (map or table or chart or lookup or list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L7	0	"service adj address" same (map or table or chart or lookup or list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L8	271	(service adj address) same (map or table or chart or lookup or list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L9	148	(service adj address) with (map or table or chart or lookup or list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L10	12256	(user or client) with access with (map or table or chart or lookup or list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L11	15303	(user or client) with access\$5 with (map or table or chart or lookup or list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03

EAST Search History

L12	45	((user or client) with access with (map or table or chart or lookup or list)) and ((service adj address) with (map or table or chart or lookup or list))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L13	48	((user or client) with access\$5 with (map or table or chart or lookup or list)) and ((service adj address) with (map or table or chart or lookup or list))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L14	20	load with balanc\$6 with target with address	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L15	0	load with balanc\$6 with target\$2 with removed	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L16	304	load with balanc\$6 with target\$2	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L17	0	load with balanc\$6 with "all possible"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L18	0	load with balanc\$6 with all	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L19	1282	load with balanc\$6 with possible	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L20	0	load with balanc\$6 with all	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L21	38	(load with balanc\$6 with target\$2) and (load with balanc\$6 with possible)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L22	217	load with balanc\$6 with (select\$5 or choose) with service\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03

EAST Search History

L23	8	(load with balanc\$6 with (select\$5 or choose) with service\$1) and (load with balanc\$6 with target\$2)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L24	6	"service provider" with address with backup	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L25	0	backup with address with alternate with provid\$6 with service	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L26	15	backup with address with provid\$6 with service	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L27	7	backup with alternate with provid\$6 with service	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L28	0	backup with ("service provider" with address) with (map or table or chart or lookup or list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L29	302	("service provider" with address) with (map or table or chart or lookup or list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L30	0	((("service provider" with address) with (map or table or chart or lookup or list)) and alternat	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L31	82	((("service provider" with address) with (map or table or chart or lookup or list)) and alternate	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L32	7	((("service provider" with address) with (map or table or chart or lookup or list)) with alternate	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L33	12	intermittently with generate with (map or table or chart or lookup or list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L34	19	(intermittent\$4 or period\$6) with generate with (map or table or chart or lookup or list) with service	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03

EAST Search History

L35	1	"5951694".pn. and address	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L36	0	client with value with server with epoch	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L37	8	client with server with epoch	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L38	64	client with server with value with performance	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L39	1	"5951694".pn. and performance	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L40	1	"5951694".pn. and performance and backup	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L41	1	"5951694".pn. and execut\$8	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L42	2882	map with topograph\$6	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L43	0	map with topograph\$6 with client with service	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L44	16	map with topograph\$6 with client	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L45	0	"709"".""244".ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L46	182	709/244.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03

EAST Search History

L47	1180	370/359.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L48	0	370/359.ccls. and ("service provider" with address) with (map or table or chart or lookup or list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L49	0	370/359.ccls. and (("service provider" with address) with (map or table or chart or lookup or list))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L50	210	370/359.ccls. and ((map or table or chart or lookup or list))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L51	2	"5951694".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L52	1	"5951694".pn. and access\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L53	1	"5951694".pn. and (access\$5 with user)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L54	1	"5951694".pn. and (access\$5 with user with map)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L55	2	"6520942".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L56	0	"5951694".pn. and (transfer\$5 with user with map)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L57	1	"5951694".pn. and (transfer\$5 with gateway with map)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L58	2	email with attachment with handler	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03

EAST Search History

L59	47	email with open\$4 with attachment	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L60	29904	(email or e-,mail) with open\$4 with attachment same as URL	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L61	8	(email or e-,mail) with open\$4 with attachment same URL	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L62	4	((("6209125") or ("6237135")).PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 12:03
L63	18	((("6209125") or ("6237135") or ("6256772") or ("6298353") or ("6324619") or ("6330006") or ("6438744") or ("6469578") or ("6490722")).PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 12:03
L64	67	"0020249"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L65	0	"0020249"	US-PGPUB	OR	ON	2007/10/11 12:03
L66	4	"0020249"	US-PGPUB; USPAT	OR	ON	2007/10/11 12:03
L67	33959	shim	US-PGPUB; USPAT	OR	ON	2007/10/11 12:03
L68	8288	shim	US-PGPUB	OR	ON	2007/10/11 12:03
L69	0	(2001/0020249).CCLS.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 12:03
L70	2	("0020249").PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 12:03
L71	0	("shim.oref").PN.	US-PGPUB; USOCR	OR	OFF	2007/10/11 12:03
L72	0	("20010906.ad.").PN.	US-PGPUB; USOCR	OR	OFF	2007/10/11 12:03

EAST Search History

L73	7046	"20010906".ad.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L74	0	"shim.oref"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L75	0	"shim.oref"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L76	1	("20010020249").PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 12:03
L77	3203	"service provider" with address	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L78	0	(service adj2 (map or list\$6) with client) same ("service provider" with address)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L79	350	service adj2 (map or list\$6) with client	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L80	9	(service adj2 (map or list\$6) with client) with dynamic\$6	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L81	7	(service adj2 (map or list\$6) with client) with dynamic	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L82	569	"service map"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L83	60	"service map" with client	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03

EAST Search History

L84	1333535	service adj\$1 list\$6	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L85	1630	service adj1 list\$6	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L86	148	(service adj1 list\$6) with client	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L87	77	((service adj1 list\$6) with client) and @ad<"20000404"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L88	3	(service adj1 list\$6) with client with local\$6	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L89	2	(service adj1 list\$6) with client with stored	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L90	0	WO01084358	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L91	4	marlatt with david	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L92	51	Abjanic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L93	105	(service adj map) with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L94	105	((service adj map) with client) and ad<"19990618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03

EAST Search History

L95	37	((service adj map) with client) and @ad<"19990618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L96	189	(service adj list) with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L97	29	((service adj list) with client) and @ad<"19990618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L98	74	(service adj table) with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L99	28	((service adj table) with client) and @ad<"19990618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L100	2	"5951694".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L101	0	L100 and service with (address or location)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L102	1	L100 and (address or location)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L103	2	"6738382".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L104	2	"5951694".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03

EAST Search History

L105	1	L104 and map	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L106	1	L104 and (map with locat\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L107	45	((("5,852,722") or ("5,901,352") or ("5,933,646") or ("6,067,568") or ("6,173,326") or ("6,215,855") or ("6,249,578") or ("6,279,125") or ("6,285,983") or ("6,289,381") or ("6,381,742") or ("6,459,773") or ("6,463,079") or ("6,470,074") or ("6,529,511") or ("6,560,213") or ("6,560,704") or ("6,564,377") or ("6,636,329") or ("6,636,505") or ("6,640,239") or ("6,684,242"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 12:03
L108	2	("6704927").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 12:03

EAST Search History

L109	239	("4184200" "4280176" "4432057" "4493024" "4799153" "4799156" "4800488" "4858117" "4899136" "4914571" "5079765" "5113499" "5140689" "5151989" "5187790" "5247676" "5257369" "5265250" "5291597" "5307490" "5321841" "5329619" "5341477" "5347632" "5355497" "5367621" "5371852" "5388255" "5396626" "5423003" "5434994" "5444848" "5455932" "5463625" "5473599" "5475819" "5481720" "5483652" "5490270" "5491800" "5491817" "5491820" "5497463" "5499342" "5500929" "5513314" "5515508" "5526491" "5530852" "5544313" "5544327" "5548724" "5548726" "5553239" "5553242" "5559969" "5564043" "5572643" "5581753" "5592611" "5596579" "5596744" "5608865" "5608903" "5617568" "5617570" "5619632" "5650994" "5666519" "5675723" "5675796" "5696895" "5774668").PN. OR ("5951694"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/11 12:03
L110	302	("service provider" with address) with (map or table or chart or lookup or list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L111	259	L110	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/11 12:03
L112	271	(service adj address) same (map or table or chart or lookup or list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L113	223	L112	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/11 12:03
L114	148	(service adj address) with (map or table or chart or lookup or list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L115	111	L114	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/11 12:03

EAST Search History

L116	45	((user or client) with access with (map or table or chart or lookup or list)) and ((service adj address) with (map or table or chart or lookup or list))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L117	45	L116	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L118	7	backup with alternate with provid\$6 with service	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L119	7	L118	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L120	82	(("service provider" with address) with (map or table or chart or lookup or list)) and alternate	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L121	82	L120	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L122	2	"5951694".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L123	1	L122 and (address or location)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L124	1	L123	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L125	10	"9903036"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L126	0	L125 and address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03

EAST Search History

L127	112	client with routing with table with service	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L128	21	L127 and @ad<"20000405"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L129	402	client with access with list with service	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L130	402	client with access with list with service with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L131	18	client with access with list with service with table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L132	18	client with access with list with service with (table map)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L133	100	client with access with (list map) with service with (table map)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L134	12	L133 and @ad<"20000405"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L135	0	access\$3 with address with "on client"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L136	0	access\$3 with map with "on client"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03

EAST Search History

L137	0	map with "on client"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L138	0	map with "on the client"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L139	279	locate\$2 with client with proxy	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L140	140	L139 and @ad<"20000405"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L141	37	locate\$2 with client with proxy with service	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L142	16	L141 and @ad<"20000405"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L143	0	bookmark with corresponding with address with browser	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L144	0	bookmark with corresponding with browser	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L145	1800	bookmark with browser	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L146	72487	correspond\$6 with address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03

EAST Search History

L147	137	L145 and L146	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L148	364	L145 same client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L149	35	L148 and L146	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L150	7	L149 and @ad<"19990618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L151	52	"6078960"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L152	2	"6078960".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L153	1	L152 and services	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L154	1	L152 and services	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 12:03
L155	1	L152 and service with address	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 12:03
L156	1	L152 and service with address	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L157	1	L152 and request	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03

EAST Search History

L158	0	L152 and backup	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L159	0	L152 and alternat	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L160	0	L152 and alternate	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L161	1	L152 and alternative	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L162	2	"2001117932"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L163	432	service with point with map	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L164	177	L163 and @ad<"20000404"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L165	44	service with point with map with address	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L166	15	L165 and @ad<"20000404"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L167	221	service adj (map table) with address	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L168	168	L167 and @ad<"20000404"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03

EAST Search History

L169	62	service adj (map table) with address with server	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L170	50	L169 and @ad<"20000404"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L171	31	service adj (map table) with address with server with client	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L172	26	L171 and @ad<"20000404"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L173	1637	server with multiple with IP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L174	1257	server with multiple with IP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 12:03
L175	148	server with multiple adj IP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 12:03
L176	12	L175.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 12:03
L177	0	L176 and @ad<"20000404"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L178	30	L175 and @ad<"20000404"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03

EAST Search History

L179	2	"6058425".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L180	0	L179 and adress	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L181	1	L179 and address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L182	432	service with point with map	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L183	177	L182 and @ad<"20000404"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L184	177	L183	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L185	44	service with point with map with address	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L186	15	L185 and @ad<"20000404"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L187	15	L186	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L188	62	service adj (map table) with address with server	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L189	50	L188 and @ad<"20000404"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03

EAST Search History

L190	50	L189	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L191	31	service adj (map table) with address with server with client	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L192	26	L191 and @ad<"20000404"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L193	26	L192	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L194	1800	bookmark with browser	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L195	364	L194 same client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L196	161	L195	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L197	72487	correspond\$6 with address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L198	35	L195 and L197	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L199	7	L198 and @ad<"19990618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03
L200	6	L199	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:03

EAST Search History

L201	19190	709/201,202,203,220,217,245.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:19
L202	31	201 and 68	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 12:19